

PHOTO-RECON MAPS

WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
AFMEDRL2.FH8 Rev. 1

WARBIRDS MEDITERRANEAN 2 TERRAIN AIRFIELDS

TERRAIN FILE:
MEDRL2.TRN

TOP SECRET



MaxØverlays Maps & Charts
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES
maxoverlays.warbirds.org

Table of Contents

Main - Large / Bomber Airfield3
F1, F6, F7, F11, F15, F18, F21, F25, F29, F31, F34, F40

Medium - Fighter / Bomber Airfield4
F5, F8, F12, F16, F23, F26, F35, F38

Forward - Small / Fighter Airfield5
F2, F3, F14, F19, F24, F30, F33, F37

Grass Airfield6
F4, F9, F10, F13, F17, F20, F22, F27, F28, F32, F36, F39

Convoy/Bridge Diagram7

City Diagram8

Factory Diagram9

Refinery Diagram10

Field-Linked Targets: Additional off-airfield targets are linked to fields. Sometimes their destruction is required to close the field. Generally their destruction will add to the rebuild time of all of the linked airfield country's structures. Fields and their linked targets are indicated in a chart like the example to the right.

FIELD-LINKED TARGETS		
FIELD	TARGET	LOCATION
F1		NW
F5		277
F7*		366
F15		NE
F16		772
F18*		663
F38		738

7	8	9
4	5	6
1	2	3

"Keypad" reference within each 20 mile grid square

Grid Coordinates = (Longitude, Latitude)

Position Coordinates = (Lon, Lat, Keypad)
 example: (3,4,2)

	Large Airfield
	Medium Airfield
	Small Airfield
	Grass Airfield
	Convoy
	Bridge
	City
	Factory
	Refinery

Each field number is followed by a symbol and a location. The symbol describes the type of target. The location uses the three-digit "keypad reference" to denote it's position. Targets can be referred to as "Bridge 663" or "Refinery 772".

This publication supersedes WB2AFMED.FH7, including C 1, and C 2
 CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

MaxOverlays Maps & Charts - maxoverlays.warbirds.org




Field	F6*	F7*	F11
Elev.	360/110	800/240	540/170


Main Field Diagram

LARGE / BOMBER AIRFIELD (L/BF)

AFMEDRL2.FH8 Rev. 1



THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS.
IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.



Field	F25	F31	F40
Elev.	290/90	290/90	470/140

	CONTROL TOWER
	50 cal ANTI-AIRCRAFT GUN (ACK) Range: 0 - 1000 ft / 330 m AGL
	20 mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 4000 ft / 1260 m AGL
	40mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 6000 ft / 1850 m AGL
	88mm ANTI-AIRCRAFT GUN (ACK) Range: 500 - 30000 ft AGL Range: 170 - 9200 m AGL
	TARGET STRUCTURE
	HANGER

FIELD CAPTURE CONDITIONS:
DESTROY ALL STRUCTURES
• ANTI-AIRCRAFT BATTERIES
• HANGER ROOFS
• RADIO HUT & MAST
• AMMO DUMPS
• FUEL TANKS
• WAREHOUSE
• RADAR
DROP PARATROOPERS TO DESTROY THE TOWER
* ADDITIONAL OFF-AIRFIELD LINKED TARGET DESTRUCTION REQUIRED TO CLOSE FIELD

FIELD-LINKED TARGETS		
FIELD - TARGET - LOCATION		
F1		NW
F6*		488
F7*		489
F15		366
F18*		663
F21		SW
F31		SE

WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES
MAXOVERLAYS.WARBIRDS.ORG

CHARTS AND RELATED DATA (NOT TO SCALE) PUBLISHED IN ACCORDANCE WITH SPECIFICATIONS AND AGREEMENTS APPROVED BY INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE AND ARE NOT TO BE USED FOR REAL-WORLD NAVIGATION.
MAXOVERLAYS MAPS BY BOB HEFFNER

Elevation given in feet/meters	Field	F1	F15	F18*	F21	F29	F34		Page 3 of 10
	Elev.	1140/350	750/220	580/180	1920/590	1190/360	800/240		



Field **F23***
Elev. 1790/540

Medium Field Diagram

MEDIUM FGT/BMB AIRFIELD (M/FB) AFMEDRL2.FH8 Rev. 1


FIELD CAPTURE CONDITIONS:

- DESTROY ALL STRUCTURES
 - ANTI-AIRCRAFT BATTERIES
 - HANGER ROOFS
 - RADIO HUT & MAST
 - AMMO DUMPS
 - FUEL TANKS
 - WAREHOUSE
 - RADAR
- DROP PARATROOPERS TO DESTROY THE TOWER
- * ADDITIONAL OFF-AIRFIELD LINKED TARGET DESTRUCTION REQUIRED TO CLOSE FIELD

FIELD	TARGET	LOCATION
F5	[Symbol]	277
F8	[Symbol]	475
F12*	[Symbol]	882
F12	[Symbol]	884
F16	[Symbol]	772
F23	[Symbol]	133
F26	[Symbol]	349
F35	[Symbol]	618
F38	[Symbol]	738


THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS. IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.

Field **F12*** Elev. 430/130
Field **F16** Elev. 710/210
Field **F26** Elev. 430/130
Field **F35** Elev. 670/200
Field **F38** Elev. 890/270



Field **F8** Elev. 360/110

- [Symbol] .50 cal ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 1000 ft / 330 m AGL
- [Symbol] 20 mm ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 4000 ft / 1260 m AGL
- [Symbol] 40mm ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 6000 ft / 1850 m AGL
- [Symbol] 88mm ANTI-AIRCRAFT GUN (ACK)
Range: 500 - 30000 ft AGL
Range: 170 - 9200 m AGL
- [Symbol] TARGET STRUCTURE
Planes do not affect closure or rebuild time
- [Symbol] HANGER



WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

MAXOVERLAYS.WARBIRDS.ORG

MAXOVERLAYS MAPS BY BOB HEFFNER

Elevation given in feet/meters


Field **F5**
Elev. 1730/520



Forward Field Diagram

SMALL / FIGHTER AIRFIELD (S/FF)
AFMEDRL2.FH8 Rev. 1

THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS.
IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.



FIELD CAPTURE CONDITIONS:

- DESTROY ALL STRUCTURES
- ANTI-AIRCRAFT BATTERIES
 - HANGER ROOFS
 - RADIO HUT & MAST
 - AMMO DUMPS
 - FUEL TANKS
 - WAREHOUSE
 - RADAR

DROP PARATROOPERS
TO DESTROY THE TOWER

* ADDITIONAL OFF-AIRFIELD
LINKED TARGET DESTRUCTION
REQUIRED TO CLOSE FIELD

FIELD-LINKED TARGETS

FIELD	TARGET	LOCATION
F14*		874
F33*		815



TOP SECRET

WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

CHARTS AND RELATED DATA (NOT TO SCALE) PUBLISHED IN
ACCORDANCE WITH SPECIFICATIONS AND AGREEMENTS
APPROVED BY INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE
AND ARE NOT TO BE USED FOR REAL-WORLD NAVIGATION.

MAXOVERLAYS.WARBIRDS.ORG

MAXOVERLAYS MAPS BY BOB HEFFNER

Elevation given
in feet/meters

Field	F2	F3	F14*	F19	F24	F30	F33*	F37
Elev.	470/150	140/50	710/210	710/210	390/120	40/10	710/210	890/270



Grass Field Diagram

GRASS AIRFIELD (GF)
AFMEDRL2.FH8 Rev. 1

THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS.
IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.

FIELD CAPTURE CONDITIONS:

DESTROY ALL STRUCTURES


- ANTI-AIRCRAFT BATTERIES
- HANGER ROOFS
- RADIO HUT & MAST
- AMMO DUMPS
- FUEL TANKS
- WAREHOUSE
- RADAR

DROP PARATROOPERS TO DESTROY THE TOWER

* ADDITIONAL OFF-AIRFIELD LINKED TARGET DESTRUCTION REQUIRED TO CLOSE FIELD

FIELD-LINKED TARGETS		
FIELD	TARGET	LOCATION
F4*		384
F9*		166
F10*		382
F17*		667

Elev.	Field
1360/560	F10*
20/10	F13
1310/400	F17*
430/130	F20
2060/630	F22
840/260	F27
750/220	F28
290/90	F32
1030/310	F36
4330/1320	F39



	.50 cal ANTI-AIRCRAFT GUN (ACK) Range: 0 - 1000 ft / 330 m AGL
	20 mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 4000 ft / 1260 m AGL
	40mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 6000 ft / 1850 m AGL
	88mm ANTI-AIRCRAFT GUN (ACK) Range: 500 - 30000 ft AGL Range: 170 - 9200 m AGL
	TARGET STRUCTURE Planes do not affect closure or rebuild time
	HANGER



WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

MAXOVERLAYS.WARBIRDS.ORG

MAXOVERLAYS MAPS BY BOB HEFFNER

Elevation given
in feet/meters



Field	F4*
Elev.	360/110



Convoy/Bridge Diagram

CONVOY / BRIDGE (C/B)
AFMEDRL2.FH8 Rev. 1

THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS.
IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.



- .50 cal ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 1000 ft / 330 m AGL
- 20 mm ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 4000 ft / 1260 m AGL
- 40mm ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 6000 ft / 1850 m AGL
- 88mm ANTI-AIRCRAFT GUN (ACK)
Range: 500 - 30000 ft AGL
Range: 170 - 9200 m AGL
- CAPTURE
Destruction required to close linked airfields
- STRATEGIC TARGET STRUCTURE
Adds to rebuild time of all linked airfield country's structures

TOP SECRET

WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

CHARTS AND RELATED DATA (NOT TO SCALE) PUBLISHED IN
ACCORDANCE WITH SPECIFICATIONS AND AGREEMENTS
APPROVED BY INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE
AND ARE NOT TO BE USED FOR REAL-WORLD NAVIGATION.

MAXOVERLAYS.WARBIRDS.ORG

MAXOVERLAYS MAPS BY BOB HEFFNER

Elevation given
in feet/meters








PHOTO-RECON - WBMEDRL2.TRN







City Diagram 

CITY (CT)
AFMEDRL2.FH8 Rev. 1

THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS.
IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.



FIELD-LINKED TARGETS		
FIELD	TARGET	LOCATION
F1		NW
F15		NE
F21		SW
F31		SE

	.50 cal ANTI-AIRCRAFT GUN (ACK) Range: 0 - 1000 ft / 330 m AGL
	20 mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 4000 ft / 1260 m AGL
	40mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 6000 ft / 1850 m AGL
	88mm ANTI-AIRCRAFT GUN (ACK) Range: 500 - 30000 ft AGL Range: 170 - 9200 m AGL
	CAPTURE Destruction required to close linked airfields
	STRATEGIC TARGET STRUCTURE Adds to rebuild time of all linked airfield country's structures

TOP SECRET

WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

CHARTS AND RELATED DATA (NOT TO SCALE) PUBLISHED IN
ACCORDANCE WITH SPECIFICATIONS AND AGREEMENTS
APPROVED BY INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE
AND ARE NOT TO BE USED FOR REAL-WORLD NAVIGATION.

MAXOVERLAYS.WARBIRDS.ORG

MAXOVERLAYS MAPS BY BOB HEFFNER

Elevation given
in feet/meters

City	NW	NE	SW	SE
Elev.	1140/350	750/220	1920/590	290/90







Factory Diagram 

FACTORY (FTRY)
AFMEDRL2.FH8 Rev. 1

THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS.
IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.

TOP SECRET

FIELD-LINKED TARGETS		
FIELD	TARGET	LOCATION
F5		277
F12		884
F23		133
F35		618

	.50 cal ANTI-AIRCRAFT GUN (ACK) Range: 0 - 1000 ft / 330 m AGL
	20 mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 4000 ft / 1260 m AGL
	40mm ANTI-AIRCRAFT GUN (ACK) Range: 0 - 6000 ft / 1850 m AGL
	88mm ANTI-AIRCRAFT GUN (ACK) Range: 500 - 30000 ft AGL Range: 170 - 9200 m AGL
	CAPTURE Destruction required to close linked airfields
	STRATEGIC TARGET STRUCTURE Adds to rebuild time of all linked airfield country's structures

WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

CHARTS AND RELATED DATA (NOT TO SCALE) PUBLISHED IN
ACCORDANCE WITH SPECIFICATIONS AND AGREEMENTS
APPROVED BY INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE
AND ARE NOT TO BE USED FOR REAL-WORLD NAVIGATION.

MAXOVERLAYS.WARBIRDS.ORG

MAXOVERLAYS MAPS BY BOB HEFFNER

Elevation given
in feet/meters






Refinery Diagram 

REFINERY (RF)
AFMEDRL2.FH8 Rev. 1

THIS DOCUMENT IS TOP SECRET AND MUST NOT FALL INTO ENEMY HANDS.
IF FORCED DOWN IN HOSTILE TERRITORY DESTROY IMMEDIATELY BY FIRE OR INGESTION.

TOP SECRET



FIELD-LINKED TARGETS		
FIELD	TARGET	LOCATION
F8		475
F16		772

-  .50 cal ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 1000 ft / 330 m AGL
-  20 mm ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 4000 ft / 1260 m AGL
-  40mm ANTI-AIRCRAFT GUN (ACK)
Range: 0 - 6000 ft / 1850 m AGL
-  88mm ANTI-AIRCRAFT GUN (ACK)
Range: 500 - 30000 ft AGL
Range: 170 - 9200 m AGL
-  CAPTURE
Destruction required to close linked airfields
-  STRATEGIC TARGET STRUCTURE
Adds to rebuild time of all linked airfield country's structures

WB OFFICE OF PUBLICATIONS, OFFICIAL USE ONLY
CONTACT XAM@ACCESS.MOUNTAIN.NET FOR CORRECTIONS / CHANGES

CHARTS AND RELATED DATA (NOT TO SCALE) PUBLISHED IN
ACCORDANCE WITH SPECIFICATIONS AND AGREEMENTS
APPROVED BY INTER-AGENCY AIR CARTOGRAPHIC COMMITTEE
AND ARE NOT TO BE USED FOR REAL-WORLD NAVIGATION.

MAXOVERLAYS.WARBIRDS.ORG

MAXOVERLAYS MAPS BY BOB HEFFNER

Elevation given
in feet/meters

